

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,27

1909


CATALOGUE OF

Fruit & Ornamental

TREES

SHRUBS

BULBS Etc.




Given by the

**SHERMAN NURSERY
COMPANY**

CHARLES CITY, IOWA

Received Apr 1st 1909

62.27



To the Public



WE take pleasure in presenting herewith a carefully revised edition of our descriptive catalogue. We have taken great pains in the revision of our list to cull out all worthless varieties, and to catalogue only such varieties as we consider of special merit.

We are constantly on the watch for new things, both in the fruit and ornamental line, and we are adding such to our list as fast as their behavior proves beyond reasonable doubt that they are of value, and we believe the list which follows contains, with but few exceptions, all the fruit and ornamental trees, plants and shrubs which are of value throughout the Northwest.

LOCATION.—Our grounds are located on the open prairie land where the winds have an unbroken sweep for twenty or twenty-five miles from the northwest, and stock which is sent out by us has been thoroughly tested by as severe exposure as they are likely to meet when given their permanent planting.

PURITY OF STOCK.—We take every precaution to keep our stock free from mixture, and we are very careful that everything we send out shall be true to name. If, however, by any error the stock received should be found to be untrue to name, we stand ready to replace such stock free of charge.

PACKING.—Our packing and shipping facilities are unsurpassed. We have a band of trained men, many of whom have been in the nursery business nearly all of their mature years, and we believe we are as well prepared to handle stock in a first-class manner as any firm in the United States.

We take great pains in our packing, using only the very best of materials. Our packing-houses are large, and all packing is done under cover where the stock is not exposed to the sun and wind, and we can promise our patrons that the stock will be put into the hands of the railroad companies here in prime condition.

ERRORS.—We shall take every pains to get the goods to our customers in the best condition, and we believe few firms fail in this respect as seldom as we. If on the arrival of the goods any mistake should be found in the filling of the order, our patrons are requested to notify us at once, and, if possible, return the shipping tag which accompanied the goods with such notification, and all errors will cheerfully be made right.

SHIPPING SEASON.—Our shipping season usually opens in this section about the 1st of April and continues until some time in the month of May, and in the fall our shipments are made during the month of October and the early part of November. Please bear in mind that the planting season is not regulated by the day of the month nor by the state of vegetation where the planting is to be done, but the proper season for planting trees should be determined by the condition of the trees to be planted. It is better that these trees be started a little. Trees that have burst their buds will do better than those planted when perfectly dormant. It matters but little if the trees in the locality where the stock is being set are in full leaf if the trees that are being planted are not started to any great extent; they will be none the worse for having been planted a little late. As a rule, we have found that deciduous trees, as well as evergreens, do better if planted after the ground has begun to warm up. Frequently the time for planting corn is the best time for planting trees.

Hints on Transplanting, Etc.

We cannot attempt to give complete directions on all points connected with tree-planting, but simply a few hints on the more important operations. Every man who purchases a bill of trees should put himself in possession of some treatise on tree culture, that will furnish him with full and reliable instructions on the routine of management. Transplanting is to be considered under the following heads:

1st. Selection of Orchard Site.—The best site for an orchard is on high land with a north or northeasterly exposure; such locations are usually found best, for the reasons that high land is not as subject to frost in blossoming season, and northerly

exposures are not so subject as others to the freezing and thawing of ground in early spring, ground thaws a little slower, and as a consequence, trees do not start quite so early.

2d. The Preparation of the Soil.—For fruit trees the soil should be *dry*, either naturally or made so by thorough drainage, as they will not live or thrive on a soil constantly saturated with stagnant moisture. It should also be well prepared. On new, fresh lands, manuring will be unnecessary; but on lands exhausted by cropping, fertilizers must be applied, either by turning in heavy crops of clover, or well-decomposed manure or compost. To ensure a good growth of fruit trees, land should be in as good condition as for a crop of corn or potatoes.

3d. The Preparation of the Trees.—There are more fatal errors committed in regard to this important operation than in any other. As a general thing, trees are planted in the ground precisely as they are sent from the nursery. In removing a tree, no matter how carefully it may be done, portions of the roots are broken and destroyed, and consequently the balance that existed in the structure of the tree is deranged. This must be restored by a proper pruning, adapted to the size, form and condition of the tree.

4th. Planting.—Dig holes in the first place large enough to permit the roots of the tree to spread out in their natural position, thus having the tree pruned as before directed; let one person hold the tree, placing the heavier portion of the top to the southwest, and with the trunk slanting a little in that direction, while the other shovels in fine dirt about the roots, taking pains to fill all interstices, and bringing every root in contact with the soil. When the hole is nearly filled, if the ground is dry, it is a good plan to apply a pail of water to moisten the ground and wash the dirt in about the roots. This is unnecessary, however, if the ground is fairly moist. In this latitude, and especially north and west of here in dry lands, it is good practice to plant fruit trees about 6 inches deeper in the ground than they stood in the nursery row, but where land is inclined to be wet, they should be planted about the same depth as they stood in nursery. In dry, gravelly ground, the hole should be dug about twice the usual size and depth, and filled with rich, loamy soil.


5th. If trees are large and planted in exposed locations, they should be staked, and, if this is found necessary, the trunk should be wrapped with something to keep the stake from chafing the tree.

6th. Cultivation and Mulching.—When trees are planted, keep the orchard well cultivated up to about July 1 to 10, and for this purpose there is no better practice than to grow a crop of corn in the orchard, leaving the stalks to stand for winter protection; but where this is not practicable, cultivate the land to above date and then sow to some cover crop. Do not seed down an orchard so long as it can be avoided, but keep it cultivated as above indicated, and keep the soil well fertilized; but when the time comes that the orchard must be seeded down, sow to red clover and mulch the trees heavily so that grass will not grow within 6 or 8 feet of them. It is also good practice to spade up this mulched space about the tree each spring.

7th. Treatment of Trees Frozen in the Packages or Received During Freezing Weather.—Place the package in some cool place, a damp, cool cellar preferred, where the temperature is just a little above freezing, and allow it to remain there for several days until all frost is removed before opening the package. If stock is properly packed and handled as above directed, it will not be injured in the least by freezing.

8th. Directions for Wintering.—When trees are procured in the fall, select a dry place where water will be well drained off during the winter months; then dig a trench a little longer than the trees to be heeled-in, with the lower end about 2 feet deep. Dig the trench broad enough to contain the trees when spread in a single layer; then remove all packing material from about the trees and spread them out in the trench. When this is done, sift in fine dirt until all the open spaces are filled among the trees and roots and they are covered several inches deep, then tramp firmly and fill up the trench, mounding up the dirt so that the tops will be covered at least 4 inches deep and the roots about 2 feet. Care should be taken to remove all material from the trench and its vicinity which might serve as nests for mice.

Remarks.—We have not aimed in the above to give full directions for handling trees, but only a few of the main outlines. The above directions will also apply to the handling of pear, apricot, peach, nectarine, quince, plum, cherry, grape-vines, currant, gooseberry, mulberry, high-bush cranberry, Juneberry, weeping trees, shade and ornamental trees, shrubs, roses and vines.



Apples

SUMMER VARIETIES

Charlismauff. A tree of German origin. Fruit large and strongly resembling the Duchess of Oldenburg, but more conical and of better flavor. Tree very hardy. Fruit ripens in August and September.

Duchess of Oldenburg. A large, beautiful Apple; roundish, streaked red and yellow; tender, juicy and pleasant. A kitchen Apple of best quality, and esteemed by many for dessert. Tree very hardy, a fair grower, and a young and abundant bearer. Season, August and September.

Tetofsky. A slow, upright grower, with few branches. Tree one of the very hardiest; leaf very large and glossy; fruit yellow, somewhat splashed with red and covered with a white bloom, juicy, sprightly acid and ripens early in August.

Yellow Transparent. Tree introduced from Russia by the United States Department of Agriculture. A good grower and an annual bearer; hardy, but in some sections subject to blight. Fruit medium in size, roundish, conical in form, skin smooth, transparent, surface clear white becoming pale yellow when matured; flesh white, tender, fine-grained, juicy and subacid. One of the best of our early summer Apples.

FALL VARIETIES

Fameuse, or Snow. A medium grower, rather spreading as an orchard tree; medium hardy, injures badly in some sections, but has plenty of vitality, and will

stand and bear many years after being badly injured. Fruit dark red, with flesh snow-white; one of the finest dessert Apples. Season from November to January.

Gideon. This tree originated with Peter M. Gideon, of Excelsior, near St. Paul, Minn. It is a cross between the Blue Pearmain and our common crab-apple. Mr. Gideon says: "The tree seems to be as hardy with us as any of the crabs." Fruit medium to large, with blush on sunny side. Season, Nov. and Dec.

Haas. An upright tree of rapid growth; an abundant bearer, and on account of color sells well; can be classed as only fairly hardy in this latitude. Fruit large, striped with red, and of poor quality. Season, October.

Harry Kaump. Tree hardy, healthy and very productive; fruit medium size, light green color, mildly acid, good for eating and cooking; a favorite in northwest Iowa. Season, fall.

Iowa Beauty. A seedling of Golden Russett. Tree a strong, vigorous grower, very hardy, and more beautiful in form than Whitney No. 20; fruit nearly white, splashed and striped with red. Season, September and October.

Longfield. Mr. I. S. Freeborn, of Richland county, Wisconsin, says: "It will bear a bushel of Apples sooner than any tree that I ever planted." Medium hardy, fair size, red, blush on sunny side. One of the best of the Russians in quality. October to December.

FALL APPLES, continued

Matilda. A strong, vigorous tree, rather bushy, hardy, bears young and annually; bark very dark color. Fruit of fair size, conical, light yellow in color, subacid, good flavor. Ripens the latter part of September and first of October.

Plumb's Cider. A variety introduced by J. C. Plumb, of Milton, Wisconsin. The tree came originally from Ohio, probably in 1844. It is vigorous, an early bearer, and very productive in alternate years. The fruit is medium in size, rather oblong in form, greenish yellow splashed with light red. The flesh is greenish white, fine-grained, firm, juicy, subacid, of very good quality. On limestone lands this tree is regarded very highly through northern Iowa. Season, fall.

Wolf River. A large, showy red Apple of Wisconsin origin; a remarkably good market Apple in some sections, but not quite hardy in northern Iowa, except in favorable locations. Nov. and Dec.

WINTER VARIETIES

Ben Davis. Large, smooth, often polished, nearly covered with red; subacid and one of the most profitable market Apples south. Tree vigorous, productive, and bears early.

Black Annette. An old variety brought from Ohio, but the Black Annette raised in the West seems to differ materially from that raised in the East. The fruit is medium-sized, very dark red, almost black, somewhat splashed, thickly dotted with whitish specks; flesh white, mild, pleasant, subacid; very good. Tree hardy. Season, late winter.

Gano. Like Ben Davis in all respects, but redder and of better quality.

Golden Russet. Medium size; dull russet, with a tinge of red on the exposed side; flesh greenish, crisp, juicy and highly flavored; a slender grower, with light-colored speckled shoots, by which it is easily known; hardy, bears well, and is extensively grown in western New York and Wisconsin. November to April.

Grimes' Golden. Tree vigorous, upright, spreading, and a good annual bearer. It is considered the standard for excellence throughout the West. Fruit medium size, regular, waxy golden yellow in color, flesh yellow, firm, compact, crisp, spiey, quality of the very best. Dec. to March.

Hibernal. (Russian.) Very hardy, rugged, spreading grower; fruit large size, striped, quite acid; a good cooking Apple. Very valuable for the extreme North and for top-working to less hardy varieties. A winter apple in the North.

Iowa Blush. Tree very productive, a strong grower in nursery and orchard. Fruit slightly roundish, conical, yellow with bright mottled red blush, washed with bronze on the sunny side; flesh white, juicy, mild, subacid. Season, early winter.

Jonathan. Medium size; yellow, nearly covered with red; flesh tender, juicy and rich. A moderate grower; shoots light-colored, slender and spreading; very productive; one of the best varieties for either table or market. Too tender for the North, but much esteemed in the West, East and South. Nov. to March.

McMahon. A very large, white winter Apple of Wisconsin origin. Tree a vigorous grower and very hardy.

Northwestern Greening. A strong, vigorous tree of Wisconsin origin. The tree bears young, and big crops of large, smooth, green Apples. The fruit is rather fine-grained, mild, subacid in flavor, and is a late-keeping winter Apple. It has been regarded by many of the horticulturists as not hardy enough for northern Iowa and southern Minnesota, but in spite of this the tree seems to be standing our hard winters and bearing enormous crops of fruit that will sell as A No. 1 Apple in the best markets. The tree is very productive.

Okabena. Originated in southwestern Minnesota. Claimed to be a seedling of the Duchess, fertilized by the Wealthy. Tree an annual bearer of good fruit; hardy. Large, yellow striped and splashed with red, flavor subacid; very good. Season, December.

Pewaukee. Origin, Pewaukee, Wisconsin. Raised from the seed of Oldenburg. Fruit medium to large, roundish, oblate, skin bright yellow, striped and splashed with dark red; flesh white, tender, juicy, subacid. Tree vigorous. January to March.

Rawle's Janet. Medium, roundish, ovate; greenish yellow, striped with red; crisp, rich and juicy. One of the best and longest keepers in the South and Southwest.

Repka Malenka. A very slow-growing nursery tree of Russian origin. The fruit is small, not much larger than Whitney No. 20, a little flatter in form, dull green striped with red; subacid and mild. A very good Apple, will keep through until spring. This is beyond question the best late-keeping Russian Apple we have. The habits of the tree are against it, and if bought, it must be with the understanding that it is a crooked scrubby tree. We question if it has any advantage over our better-growing American sorts.



THE ABOVE IS A BLOCK OF THREE-YEAR-OLD TREES TAKEN ON OUR GROUNDS.

We do not handle third or fourth grade stock. Do not forget that there are four grades of stock, and that cheap prices mean low grades.

WINTER APPLES, continued

Roman Stem. A moderate growing tree and one of the hardiest winter Apples of first quality that can be grown in this section. Fruit of medium size, whitish yellow, sprinkled with russet; flesh tender, juicy, rich; a very fine dessert Apple. Season, January to May.

Scott's Winter. A tree of Vermont origin. A strong, upright grower and an annual bearer. This tree is considered promising at the North. Fruit rather small, oblate, yellow, mottled with red and russet; flesh yellow, fine-grained, juicy, crisp and pleasant; sprightly acid. Season, late winter.

Tallman Sweet. One of the hardiest sweet Apples; a good bearer. Fruit of medium size, light green and very sweet. An excellent baking Apple. Season, December to March.

Walbridge. The worst fault with this tree is that it is a tardy bearer. When it arrives at bearing age it bears well and the fruit is highly prized, as it keeps late in the spring. Fruit medium size, subacid, striped with red and yellow. Season, March to May.

Wealthy. Originated near St. Paul, Minnesota. A vigorous-growing tree, very hardy and an abundant bearer. Fruit large, nearly red, subacid and of first quality. G. W. Wheaton, one of the oldest fruit-growers in northern Iowa, said of this tree that if he were to plant a market orchard of 1,000 trees, he would plant 999 Wealthy, and when asked what the other would be, he said he would plant that Wealthy, also. All things considered, it is a hard tree to beat. Season, early winter.

Winesap. An old variety, supposed to have originated in New Jersey. Tree moderately vigorous, with rather open spreading habit, very productive and an early bearer. Fruit rather above the medium size, conical in form, rich yellow color, mostly covered with fine lively dark red, sometimes slightly striped; flesh yellow, firm, fine-grained, rich subacid. This variety is very popular throughout the South and West, but is not hardy enough for this latitude, except in sheltered situations, where it is protected from extremes of weather. Season, December to May.

NEW WINTER APPLES

ANISIM. This, without doubt, is the most valuable of Russian Apples. Tree bears very young and regularly enormous crops of beautiful fruit, is hardy, free from blight, of good quality. Fruit roundish, medium size, color greenish yellow, covered almost wholly with a heavy dark crimson bloom, thickly dotted with minute white specks; flesh greenish white, with green veins; flavor subacid, pleasant. Season, early winter. The Anisim is a variety which has, perhaps, been better known as "Good Peasant." The tree is wonderfully productive, and while the Russian Apples, as a class, we think have been overestimated, still there can hardly be too much said of this variety. The tree bears very young, and is very productive. In fact, few trees excel it in this particular, and the fruit is so beautiful in appearance that it would sell in any market regardless of quality. But, in addition to this, it is among the best in quality of any of the late fall and early winter Apples that can be raised in this latitude. A man can not err in buying this tree. Orchards of it will pay, and pay well.

MALINDA. Tree originated from seed sown in northern Vermont. It is a moderate-growing, crooked, scrubby nursery tree, but does better in northern Iowa than almost any other late-keeping winter Apple. Tree is perfectly hardy here and bears extremely well; fruit about the same size and color as the old yellow Bell-flower; flavor very mild acid; one of the very best of baking Apples. Season, February to July.

MR. JOHN Q. RICHARDSON, of Elgin, Minn., says: "I have a Malinda tree on my place that has been planted thirty-five years. It survived the winter of 1873 when the thermometer registered 52° below zero, and has since withstood a temperature of 42° below zero. This tree bore eight bushels of Apples last year. I have several times kept the fruit until the 4th of July, and have known it to keep as late as August 1. The Malinda bears young and well with us."

"I have two dozen Malinda trees growing in my orchard, and I prize them higher than any Apple I have, for the reason that they are hardy as Duchess and very prolific. My trees paid me over one hundred dollars last fall. They are the finest eating or cooking Apples I ever tasted. I can heartily recommend it to those wishing to plant an Apple tree that will be a lasting pleasure as well as profit."—A. K. BAYLEY, Platteville, Wis.



PATTEN'S GREENING.

NEWELL'S WINTER. Originated in Wisconsin about 60 miles north of Madison. It is a seedling of the Perry Russet. The fruit is large, roundish, oblate, and of a rich yellow color; flesh firm, juicy, yellowish, rich, sprightly and subacid. This Apple is one that will rate A No. 1 with any of the eastern Apples. It is a fruit that will keep all winter. Tree hardy and free from blight.

PATTEN'S GREENING. This variety originated from seed of the Duchess of Oldenburg. As a nursery tree it grows very crooked, but makes a fine spreading orchard tree; it is a better bearer than the Duchess and quite as hardy; fruit about the same shape and much larger, but green in color; a fair eating and an excellent cooking Apple. Season, November to January.

We think this variety will bear more bushels of Apples in a given length of time than any other tree we know. The fruit is large and showy, brings better prices in the St. Paul market than any other fruit during its season. There cannot be too much said for this variety. Remember it is the southern trees that grow straight. This is not a southern tree. The Patten's Greening, though vigorous and strong in its growth, is never straight, but it has been reported hardy by the keepers of the State Experimental Stations as far north as Manitoba. This variety originated with Mr. C. G. Patten, of this place, from the seed of the Duchess of Oldenburg. The tree is a tremendous bearer. No variety stands higher than this, or has had more good words said for it by the horticulturists of the Northwest.

The following are a few of the good words that have been spoken for the Patten's Greening:

I have taken much interest in watching the growth and fruiting of a seedling Apple originated at Charles City, and known as Patten's Greening. The tree at different stages, from blooming to fruiting, has been closely examined, and has never shown a trace of blight. I regard it as perfectly hardy—tough as burr oak. The tree is a good bearer of handsome,

NEW WINTER APPLES, continued

fair-flavored fruit of good size. As a cooking Apple it has no superior. It comes the nearest to a winter Apple of anything yet produced which will do well in northern Iowa, and I should no more hesitate to plant it than I would box, alders or soft maples as to hardiness and freedom from blight.—J. S. TRIGG, editor of the Rockford Register, Rockford, Iowa.

J. S. Harris, of La Crescent, Minn., says of the Patten's Greening: "This variety of Apple is now so well disseminated, and is doing so well in every locality where it has been tried that I feel safe in recommending it. It is a seedling of the Duchess of Oldenburg, originated from seed planted at Charles City, Iowa, seed grown near Portage, Wis., in 1869. The tree appears to have inherited the hardiness and fruitfulness of the mother parent, and has derived an improved flavor and keeping qualities from some other source. The original tree has produced fifteen crops of fruit. It is a somewhat stronger grower than the Oldenburg, has large, thick foliage, and the limbs are stronger shouldered, capable of resisting strong winds and sustaining a great weight of fruit. The variety is doing well in Iowa, Wisconsin, South Dakota, and wherever planted in Minnesota. The fruit is fair for eating from the hand, and is unsurpassed for cooking. Have kept this Apple through January and February."

SAMUEL B. GREEN, Professor of Horticulture in the University of Minnesota, says of Patten's Greening: "It is, perhaps, the most fully satisfactory tree in health, hardiness and bearing habit for this section of any on the list; keeps as long, or nearly as long, as Wealthy, and does well in cold storage. A variety that has proved to be very profitable in the home orchard, or for market, and deserves the fullest confidence of our planters."

Patten's Greening. Considering the size, quality and season of fruit, as also the pedigree and known hardiness of tree, it seems to me worthy of general planting in northern Iowa and adjacent territory.—C. L. WATRUS, Des Moines, Iowa.

MR. A. PETERSON, of Waconia, Minnesota, says: "I do not consider there is any place where the blight is as bad as on my grounds. All of the Russians blight badly, but the Patten's Greening is all right. It is hardy and a good bearer."

Patten's Greening. A crooked nursery tree, but one of the finest large Apples, and should be in every collection.—GEO. J. KELLOGG & SONS, Janesville, Wis.

The Patten's Greening is apparently as hardy as a forest tree. It is the coming winter Apple.—D. COOK, Vice-President Minnesota State Horticultural Society, Windom, Minn.

J. A. HOWARD, of Hammond, Minnesota, has picked ten bushels of apples from one tree of Patten's Greening that had been planted six years, and sixteen trees of this same planting averaged from five to six bushels per tree.

L. G. CLUTE, of Greeley, Iowa, says: "I have 104 of the Patten's Greening in bearing. I will further state that last year they gave me more and better apples than all the other trees put together. I have over 1,000 trees in bearing. This year is an off year, and the Patten's Greening is far ahead of all other varieties as far as fruit is concerned. I have trees nine years old that measure 22 inches in circumference and are 25 feet from tip to tip of limb. I had trees seven years old that picked eight bushels of apples; 100 averaged over four bushels of apples per tree. The Patten's Greening is the very best tree in northern Iowa. Its commercial value is very great."

I have an orchard of near 2,000 trees, and more than 100 varieties of Apples, and I consider the Patten's Greening among the best I have, if not the very best, considering the hardiness of tree and the fruitfulness thereof. I consider it safe for farmers to plant in Minnesota. If they cannot raise fruit from Patten's Greening they had better give up the job.—WM. SOMERVILLE.

PEERLESS. Tree originated in central Minnesota in 1864 or 1865. It is a strong, vigorous grower. Bark very dark. Apple very large, splashed and striped with dull red, of a pleasant subacid flavor. Ripens in late fall or early winter.

PETER. This variety was originated by Peter M. Gideon, Excelsior (near St. Paul), Minn. He says of it: "We take pleasure in calling attention of all lovers of fine fruit to what we consider the best Apple grown. Origin, Wealthy seed, and in form, size and color an exact duplicate of the parent, but differing in flavor and season, keeping from four to six weeks longer. It is what, after tasting, Col. John H. Stevens pronounced 'the best Apple ever introduced since Adam and Eve left the Garden of Eden.' The fruit adheres well to the tree, which is a little hardier than the Duchess and Wealthy. At the Iowa State Fair the Peter Apple was pronounced by the judges to be superior to the Wealthy in every respect. It appears to be one of the hardiest trees on our place." This variety, like all others of value in this section, originated in the Northwest. It has not been largely planted, for the reason that the fruit so closely resembles the Wealthy that many growers had considered it identical with it. The tree is more vigorous than the Wealthy, and while the fruit closely resembles it, still we consider it a better Apple. Mr. Gideon considered it superior to the Wealthy, and we believe that his estimate of it will prove true in the Northwest. We consider that there can not be too much good said of this variety.

CRAB-APPLES

Briar Sweet. Fruit large, pale yellow, with carmine cheek, very sweet, good for preserving and best of all for sweet pickles. Tree vigorous and productive. September.

Florence. A seedling of the Duchess of Oldenburg. Tree rather slow, spreading grower; bears very young and profusely; when in full fruit, very ornamental; very hardy. Color light yellow, thickly splashed with bright red. About the same size and season as Transcendent.

Hyslop. A very late-keeping, dark red Crab of large size; tree an abundant bearer, vigorous grower and perfectly hardy. Season, November to April.

Minnesota. A very bushy growing tree, but free from blight and perfectly hardy. Fruit nearly as large as Fameuse, light yellowish green, with tinge of red on sunny side. Season, Nov. and Dec.

Martha. This tree originated with Mr. Peter Gideon, of Excelsior, Minn., who says: "It is from Duchess seed; a rapid, stiff grower; a perfect pyramid in tree; a great bearer of the most beautiful fruit we ever grew. Medium size, a bright glossy yellow, shaded with light, bright red; a mild, clear tart, surpassing all other Apples we ever grew for all culinary purposes and fair to eat from hand. Season, October and November."

Soulard. This is a hybrid with our native wild Crab, *Pyrus Coronaria*, or possibly a sprout from the wild Crab. It is about the size of Fameuse or Snow Apple. Light yellowish green in color and keeps until spring. Its chief value is for preserves, and it is valued by many as highly as the quince for this purpose. The tree is a strong, vigorous grower, and very hardy. Bears well.

Strawberry Crab. Fruit medium, highly colored, exceedingly tender, mild acid, fine eating or cooking; tree hardy, fine grower. Two weeks earlier than Whitney No. 20.

Sweet Russet. Very large hybrid; extremely hardy. Fruit oblong, conical, light russet, very rich and sweet. One of the best either for eating or cooking. August and September.

Transcendent. A vigorous grower and abundant bearer, but blights badly. Fruit medium size. Season, early August.

Virginia. Size of Transcendent; a month later; light red, sprightly, juicy, crisp. Great bearer; fine market sort. Valuable tree on which to top-work large Apples.

Whitney No. 20. A beautiful-growing tree, and one which bears young and abundantly. Fruit of good size, conical in shape, red and yellow striped; flesh crisp, subacid, and very fine eating; no crab taste whatever. It is really a small Apple and should be classed as such. Season, September.

Yellow Siberian. Tree a vigorous grower. Fruit small, conical-shaped, yellow. Ripens in September.



HYSLOP CRAB-APPLE.

A FEW FACTS WITH REGARD TO ORCHARD RETURNS. WHAT THESE MEN HAVE DONE, YOU CAN DO.

Mr. C. W. Levens, of Albert Lea, Minn., says that from an orchard of less than half an acre he sold a car-load of Apples in 1892, for which he received \$300. He says the same trees produced over \$200 worth of Apples this last season.

The ten-acre orchard of Mr. Holly's, of Winnebago City, Minn., all of Wealthy Apple trees, and situated on the high open prairie, he says produced 900 bushels of Apples in 1893, and he sold them on the trees for \$900, and the following season the same orchard produced over 700 bushels, and sold at 75 cents per bushel.

Three thousand five hundred bushels at \$1 a bushel were raised and sold by Mr. R. C. Keel, of Rochester, Minn., in one year.

Of fifty Duchess of Oldenburg planted in 1862 by Mr. Sommerville, of Viola, Minn., 49 are still living, healthy and sound. Mr. Sommerville says he has not had a failure in fruit for twenty-five years, and they have given him a larger net profit during that time than the best 40 acres of his farm.

ORCHARD RETURNS, continued

Mr. Lord, of Minnesota City, Minn., says he has picked 53 bushels of plums in one season from 25 trees and sold them at \$2.10 a bushel, and has missed but two crops in 30 years.

Mr. Cook, of Cottonwood county, Minn., says he sold \$60 worth of plums from 15 trees in 1894.

In the fall of 1903 Elias Long, of Stilson, Iowa, gathered 12 bushels of apples from four trees of Northwestern Greening purchased of us in 1897. Six of these apples placed side by side measured 20 inches, and ten of them weighed 6½ pounds.

Nine years ago we sold C. P. Warner, of Bassett, Iowa, two trees of Malinda from which he has this season (1903) gathered 17 bushel of apples.

In 1902 C. G. Patten & Son, of Charles City, Iowa, gathered 333 barrels of first-class apples from 293 trees of Duchess of Oldenburg, occupying a little less than three acres of land; they sold this crop for \$2.10 per barrel; from the same trees in 1903 they gathered 443 barrels of first-class fruit, which brought \$2.65 per barrel. They also tell us that from their orchard of Patten Greening, which had been planted six years in 1903, they gathered on an average a little better than one barrel per tree, some yielding 1½ barrels per tree.

In the above statement no account has been made of windfalls and second-class fruit, which was gathered and disposed of at retail, and the prices named are those received for goods at wholesale delivered f. o. b. Charles City. You will notice by the above figures that their orchard of Duchess of Oldenburg is yielding them an annual income from \$242 to \$382.50 per acre.

DO ORCHARDS PAY?

We have given above a few facts with regard to the profit of orcharding in this section, and these facts are given merely as suggestions. If you will investigate matters carefully in any neighborhood, we believe you will be able to pick up information with regard to the yield of fruit that will surprise you. Visit the leading fruit-growers and ascertain from them what they have planted, when it was planted, and what they have been able to get in the way of crops. Usually you will be compelled to pick up this information in small items; frequently you can get at accurate figures with regard to the yields of perhaps but a few trees in a place, but from these you can quickly figure what the yield would have been on an orchard of 10 acres, and the returns that could have been realized, figuring the crop at usual market prices. Such investigation, we believe, will readily convince any thoughtful person that there is far more profit in commercial orcharding in the North today than there is in any other use to which good lands can be put.

Beyond any question, there is good money today in a good commercial orchard in the Northwest. Where varieties are well chosen, planted in good soil, and given intelligent care, we believe a person can make dollars in Iowa or any of its adjoining states, raising apples or plums, to dimes that can be made in California raising oranges, lemons or prunes.

We urge you to plant few varieties for this purpose. Four is a big plenty, and one or two is better still, for the reason that when one has a large number of trees loaded with one variety, he will always find plenty of wholesale fruit dealers in the cities who will come to his place and buy the fruit in the orchard, paying the best market price, and giving him a sure and ready market; whereas, if many varieties are planted, one is confined to local markets and to a peddling trade, which is never satisfactory and often unprofitable.

Apples have been sold in the orchards here this season at prices ranging upward of \$2.50 per barrel in car lots, when the same varieties were begging sale on the street in small lots at 25 cents per bushel.

Pears

Bartlett. One of the most popular Pears; large, buttery and melting, with a rich musky flavor. A vigorous, erect grower; bears young and abundantly. Middle to last of September.

Bessemianka. A small Russian Pear, imported by Professor Budd. Tree a slow grower and hardy, but subject to blight; fruit of good quality, small and much thicker at the stem end than the ordinary Pear.

Flemish Beauty. A large, beautiful, melting, sweet Pear. Tree very hardy,

vigorous and fruitful; succeeds well in most parts of the country. September and October.

Kieffer (Kieffer's Hybrid). Said to have been raised from seed of the Chinese Sand Pear, accidentally crossed with Bartlett or some other kind. Large; skin rich golden yellow, sprinkled thickly with small dots, and often tinted with red on one side; flesh slightly coarse, juicy, melting, with a pronounced quince flavor. Tree very vigorous, and an early and great bearer. October and November.

We have over half a million Apple Trees and hundreds of thousands of Evergreens

Apricot

Alexis. Large to very large, yellow with red cheek; slightly acid, but rich and luscious. Tree hardy and abundant bearer. July 15.

Alexander. An immense bearer; fruit of large size, oblong, yellow, flecked with

red, flavor sweet and delicious. Tree hardy. One of the best. July 1.

J. L. Budd. Of large size, white with red cheek; flavor sweet, juicy, extra fine. A hardy strong grower and profuse bearer. The best late variety. Aug. 1.

Peach

Alexander. Medium to large size; skin greenish white, nearly covered with deep, rich red; flesh melting, juicy, sweet. Tree vigorous and productive; ripens two weeks before Hale's Early. One of the largest and best of the extra-early varieties, and valuable for market as well as for home use.

Bokhara. Twenty-eight degrees below zero and a crop. One of the hardiest Peaches yet brought out. Seed was imported from Bokara, Asia, by American missionaries. The report of the Iowa exhibit at Chicago has this paragraph by Professor Hansen: "In the Iowa exhibit were shown a number of plates of new Bokhara Peaches. One measured 7 inches in circumference. It did not rot easily, being inclined to shrivel rather than to rot. I saw one plate in good condition September 26, which had been exhibited at the Iowa State Fair the first week in September. Fruit yellow, with red cheek, skin tough, flesh good quality. A perfect freestone."

Champion. A large, handsome early variety, creamy white, with red cheek, sweet, rich and juicy. Hardy and productive. August.

Coolidge's Favorite. A most beautiful and excellent Peach, of medium size; skin white, delicately mottled with red; flesh pale, juicy and rich. Tree vigorous, hardy and productive. A valuable variety. End of August.

Crawford's Early. A magnificent, large, yellow Peach, of good quality. Its size and beauty make it one of the most popular orchard varieties. Fore part of Sept.

Crawford's Late. Very large, roundish; skin yellow, with a beautiful dark red cheek; flesh rich, yellow, melting, with sweet luscious flavor; worthy of universal cultivation as table and market sort. Latter part of September.

Crosby. Originated at Billerica, Massachusetts, about 1875, and recently

brought to general notice on account of its extreme hardiness, bearing full crops of choice, attractive fruit when all other sorts have been blasted by frost. The fruit is of medium size, roundish, slightly flattened, with a distinct seam, bright orange-yellow, streaked with red on the



sunny side; flesh yellow, of a mild pleasant flavor. Tree of low spreading growth, similar to Hill's Chili. Promises to be very valuable for general cultivation. In season about with the Oldmixon.

Elberta. Originated in Georgia, and is being planted most largely in the South, where it is regarded as the best market variety. Fruit large, yellow, with red cheek; flesh yellow, firm, juicy, fine quality. Tree very hardy and exceedingly productive. It is equally valuable in the North, and is one of the best general sorts for all sections. Ripens with Crawford's Early. During the past season this variety has become very popular. Exceptionally large and fine.

PEACHES. *continued*

Hale's Early. Raised in Ohio. Medium size; flesh white, first quality. Ripens middle of August.

Heath Cling. Very large; flesh white, juicy and melting. Good keeper and shipper. October.

Hill's Chili. Large, downy, tame yellow, with slight blush; flesh yellow, luscious and well flavored, pit small. Tree

hardy and productive. Bears large crops when most other sorts fail. Late Sept.

Salway. An English Peach. Large, roundish; skin creamy yellow; flesh deep yellow, juicy, melting, rich. A valuable late Peach for market, where it will ripen.

Wager. Medium, yellow, good quality. Tree hardy, healthy, long-lived, productive. Early September.

PEACHES IN THE NORTH

It is generally considered that this class of fruit can be raised only in the far South, but some of our best horticulturists have demonstrated that this is not true.

By planting small trees and leaning them in the direction that you wish to lay them down in the winter, and then in the fall digging out a few spadefuls of dirt on the side that it is desired to bend your trees down, you will find that you can easily bend them down and pin them to the ground. They should then be covered with coarse straw, cornstalks, leaves or any other similar materials. It is better to have some mulch under the tree before it is laid down, so that the branches will not come to the ground, and under the mulch, and scattered through it, there should be plenty of poisoned bait for mice, as they are the worst enemy to trees protected in this way. Common corn bread in small pieces and covered with arsenic is as good a bait as can be used.

When spring comes, remove the litter and straighten the trees up; fill in the dirt and you will find in a few years that you will be able to raise good crops of Peaches even where the mercury often goes as low as 35° to 40° below zero. You will also find that the fruit raised in this way will be even more beautiful in appearance and much finer in flavor than that raised in the South.

Plums

Aiken. The tree is a rapid, vigorous grower, with dark green and very large foliage; bark smooth and bright. The tree fruits at a very early age, often fruiting at three years from the graft. The fruit is large and of rather poor quality. It is freestone, and a variety that peels very easily. The tree originated in northern Minnesota, and is probably one of the hardiest trees cultivated, and in localities

subject to very extreme cold has some value, but where other American sorts of Plum can be grown we think they will be found preferable. Ripens early in August.

Cheney. A strong, upright-growing tree, very hardy, and one of the very best varieties for the extreme North. Fruit large, of fair quality. Tree an early and abundant bearer.

De Soto. Tree perfectly hardy, a regular and abundant bearer; fruit medium size and of fine quality, color light red; ripens very early. This tree is liable to overbear, and, if very heavily loaded, fruit should be thinned.

Forest Garden. Hardy; bears profusely; one of the earliest Plums; large, being 1 to 1½ inches in diameter, oblong, color mottled red and yellow; skin thin; juicy, sweet and rich. Ripens from August 1 to 25.

Hawkeye. This variety is a native of Iowa, perfectly hardy, and fruit is as large as Lombard. Season, September.


Miner. A strong, vigorous tree, growing perhaps to the largest size of any of our native Plums. The fruit is large, bright red, very even, very firm, of fine quality.



DE SOTO.

PLUMS, continued

One of the finest varieties for canning and for market, but in some sections a shy bearer, due largely, we think, to improper fertilization of flowers.



FOREST GARDEN.

Rockford. Tree originated near Rockford, Iowa; perfectly hardy in this latitude. The fruit is dark purple, of fair size, very thin-skinned, and with no astringency; very rich, and one of the very finest Plums grown in Iowa for desert use. The tree bears very young, stands drought better than any other known sort, and yields an enormous crop of fruit.

Stoddard. Large, round and red; very productive. Tree and fruit closely resembles the Hawkeye, but of somewhat better quality and a good market sort.

Surprise. A variety introduced at Sleepy Eye, Minn. Tree a beautiful, symmetrical grower, with fine foliage. Best Plum yet introduced in that state; meaty, fine flavor, very large and red, with many light dots on the skin, hangs well to the tree, a good bearer and a good keeper; fine for culinary purposes.

Weaver. Large, roundish, oblong and flattened; flesh firm, sweet and good; semi-clingstone. The leaves of this variety are large, deeply toothed, and slightly pubescent. The tree is a strong grower and very prolific. Medium to late in ripening.

Wild Goose. Fruit large, round, oblate, light red; skin thin. This Plum is a clingstone. The leaf of this variety is peach-like in shape, margin finely toothed. Ripens early, but is of poor quality, but on account of its productiveness and beauty is the most popular of native Plums.


Wolf. Tree vigorous and hardy. Fruit of good size and fair quality for eating from hand and hard to equal for cooking purposes.

Wyant. Tree a spreading grower, fine foliage, very prolific; superior to Weaver in quality, and much more beautiful. Fruit medium to large, slightly oblong and distinctly flattened; purplish red in color, inclined to orange on the shady side; skin thick; flesh rich yellow. This variety is reported by Professor Goff as one of the most productive at the Wisconsin State Experiment Station.

EUROPEAN AND JAPANESE VARIETIES

Abundance. Large to very large, oblong, amber, nearly covered with bright red and overspread with a thick bloom; flesh orange-yellow, juicy, melting, and of delicious sweetness; stone small and flesh readily parts from it. Tree strong grower and an early and profuse bearer. Ripens in advance of other Plums. Valuable for canning and market. This variety has attracted much attention throughout the country, and is very highly recommended.

Burbank. It is claimed by many that the Burbank Plum stands at the head of the celebrated Japanese varieties. It is proving remarkably successful the country over. No other Plum ever became so popular in so short a time. This is because it is practically curculio-proof, and is very free from black-knot. It has been fruited from seven to nine years in this country, and is said to stand 30° below zero. Ripens in August. It seems to succeed on any soil—sand, clay or loam. It can be picked green, and will ripen and color up perfectly, and will not lose



WYANT.

EUROPEAN AND JAPANESE PLUMS, continued

its flavor. Will keep fully two weeks in perfect condition after ripening. Abundant yearly bearer. Fruit large, roundish, dark red or purplish, with thin lilac

bloom; flesh amber yellow, melting, juicy, with rich sugary flavor; stone small and free. Bears very young.

German Prune. Medium, oval; purple or blue; juicy, rich, fine. Tree vigorous and very productive. September.

WHY DOES THE PLUM FAIL?

One of the principal reasons for the failure of Plums throughout the Northwest is that they have been propagated on tender roots. Throughout the East and South the Plum is usually propagated on Myrobalan, a native Plum of France, or on Marianna, the wild Plum of the South. These roots will not stand the severe cold of our northern winters, and when the root dies the tree, of course, is a failure. Our trees are all worked on our native wild Plum, which is perfectly hardy. In planting Plums it is well to plant several varieties in a group, as some sorts seem not to fertilize their own blossoms.

Cherry

Compass. Originated by H. Knudson, Springfield, Minn. A cross between the Miner plum and the Sand cherry. Fruit a little larger than a medium cherry; color red; round; skin moderately thick; flesh firm, juicy, coarse; stone medium; flavor subacid; quality good; good bearer; very hardy; leaves resemble the Sand Cherry, as does the twig and the color of the bark. It is at present being widely distributed by the nurserymen. Of value in sections of the Northwest. Plum type in general appearance, but in quality of fruit resembles the Cherry. Season, July 20 to 30.

Early Richmond. Fruit fair size, red, sour. Tree a good bearer.

English Morello. Large, dark red, acid, tender, juicy and rich; tree dwarfish, and in this section one of the hardiest of the old sorts.

Montmorency, Large. A fruit much larger than Early Richmond; red, acid, and an

extremely fine canning fruit. Tree very vigorous.

Ostheim. A tree said to be of Russian or German origin; very hardy, having stood the test well up into Minnesota. Fruit of good size, very dark red, acid. This promises to be a success in all of our northern states.

Rocky Mountain Dwarf. This Cherry is practically the same thing as the Sand Cherry of Nebraska. The fruit when well grown is about the size of Early Richmond; dark red in color and sweet. It is a very slow-growing plant, and is more properly described as a shrub than a tree. It is peculiarly well adapted to dry sections and dry location. We regard it as perfectly hardy as far north as Minneapolis. Where the varieties of cultivated Cherries can be grown, however, we would not recommend its planting.

Wragg. Rather a dwarfish tree; a good bearer; fruit light red, and late.

Grape-Vines

We grow our vines on open prairie land and believe them far superior to vines grown in the moist lake climate and gravelly soil of western New York. They are also free from the exposure to insects and diseases such as are common among the vineyards of the East. They also have the added advantage of having been tested for many years.

Agawam (Rogers' No. 15). One of the most reliable of the hybrid Grapes. Bunches large, berries very large, dark red. Ripens with or soon after Concord, and is of peculiar, aromatic flavor.

Brighton. A new variety, originating at Rochester, N. Y. Is a cross between Concord and Diana Hamburg. Bunch medium to large, compact, shouldered; berries medium, dark red; skin thin; flesh tender, sweet; quality best. Vine a vigorous grower, healthy, with no more

tendency to leaf-blight in unfavorable seasons than Rogers' Nos. 4, 15, 19, or Salem. Is productive and ripens early, about with Delaware. Is of fine quality, but not so good if allowed to remain on vine till fully ripe. It then becomes nearly black, and to some extent insipid.

Champion. A large Grape, of medium quality. Its chief value consists in vigor of plant and earliness, rendering it a valuable sort to plant where the season is short.



BLOCK OF GRAPE-VINES GROWING IN NURSERY ROW ON THE GROUNDS OF THE SHERMAN NURSERY COMPANY.

GRAPES, continued

Clinton. Bunches small to medium, compact, long and not usually shouldered; berries small and black; skin thin, but tough; flesh juicy, spicy and acid. The chief value of this Grape lies in its extreme hardiness. It is nearly, if not quite as hardy, as the wild Grape. Its fruit is unsurpassed for canning.

Concord. A large, handsome Grape, ripening in latter part of September; very hardy, productive and reliable; succeeds well over a great extent of country. One of the most popular market Grapes.

Delaware. Bunch small to medium, compact, usually shouldered; berries medium, red; skin thin, but firm; flesh juicy, very sweet and refreshing. Vine hardy, moderate grower and productive. Ripens with Concord. Requires rich soil and good culture. Fruit of best quality for table. It is esteemed in many localities as the best American Grape, all things considered. Should be in every garden and vineyard.

Eaton. Large, black; ripens rather later than Concord, which it resembles in many respects; but we have seen the fruit much larger than Concord in bunch and berry.

Elvira. Very vigorous, strong, healthy grower. White; bunch and berries medium size, very compact and very productive, often growing four or five clusters on a single cane. Ripens about with Catawba. Very hardy Grape. Liable to crack.

Empire State. Bunches large, from 6 to 10 inches long, shouldered; berry medium to large, roundish to oval; color white with very light tinge of yellow, covered with a thick, white bloom; leaf thick, smooth underside; flesh tender, juicy, rich, sweet and sprightly, continuing a long time in use. Vine is very hardy and productive. Ripens very early.

Green Mountain. Originated in Vermont. Vine said to be hardy, vigorous and productive. Fruit white, skin thin, pulp tender and rich; ripens early.


Lady. A white Grape of medium size and extra fine quality. Vine rather a slender grower. Season same as Concord.

Martha. A seedling of the Concord, which it resembles in growth and hardiness. Bunch of good size and berry large, of pale green or light color; sweet, juicy, sprightly. Ripens with the Concord.

Moore's Early. Cluster medium size, berry quite large and dark; season about two weeks earlier than Concord. A vigorous grower and abundant bearer. Vine very hardy. Highly prized for its earliness and hardiness.

Moore's Diamond. Color white; bunch and berries large. Healthy, strong grower, hardy, and where known is very popular. Quality excellent. This new Grape has evidently come to stay. Ripens with Delaware.

Niagara. Said to be a cross of Concord and Cassidy. Bunch medium to large, compact, occasionally shouldered; berry large, roundish, uniform; skin thin but tough, pale green at first, changing to pale yellow when fully ripe, with a thin, whitish bloom; flesh slightly pulpy, tender, sweet, not quite equal to the Concord. Before it is fully matured it has a very foxy odor, which disappears, to a great extent, later. Vine vigorous, healthy and productive; foliage thick and leathery. Ripens with the Concord. All things considered, probably the most valuable white Grape in cultivation.



MOORE'S DIAMOND.

GRAPES, continued

Pocklington. A seedling of the Concord. Bunch medium to large, generally shouldered; berry large, roundish, light golden yellow when fully mature; flesh pulpy, juicy, of fair quality. Vine very hardy, healthy, vigorous and productive; leaves large, tough and downy. Ripens after Concord. It will require favorable seasons and good locations to ripen it satisfactorily in this region.

Vergennes. Red. Bunch and berry large; flavor rich; medium early; a good keeper, and a very promising Grape. A little later than Concord.

Worden. This is, beyond question, the best black Grape known. It is a seedling of Concord, ripens about ten days to two weeks earlier, and is fully equal to it in quality. It is a vigorous grower and much better bearer; in some places said to outyield Concord two to one.


REMARKS

The soil for the Grape should be dry; when not naturally so, should be thoroughly drained. It should be deeply worked and well manured, always bearing in mind that it is an essential point to secure a warm, sunny exposure.

The best grape-vine trellis is probably the wire trellis. This is constructed by planting posts as far apart as you choose to have the length of your trellis; stretch the wires, four in number, about eighteen inches apart, letting them pass through stakes at proper distances from each other to support the wire. As the wires are contracted by the cold, and are likely to break or sway the posts from their places, they should be loosened as cold weather approaches.

To secure the best results, annual and careful pruning is essential. The following is regarded as the best method. Commencing with a good strong vine, permit it to grow the first season without pruning. In November following cut back the growth, allowing but three or four buds to remain. The following spring allow but two of the strongest buds to throw out shoots. These, in the fall, will be from seven to ten feet long, and should be cut back within four or five feet of the root. The next spring the vine should be fastened to the lower wire of the trellis. When growth commences, pinch the buds so that the shoots will be from ten to twelve inches apart. As these grow, train them up perpendicularly to the second, third and fourth wires of the trellis. No fruit should be allowed to set above the second wire of the trellis.

During the season when the shoots have reached the upper part of the trellis, they may be pinched to prevent further growth. After the fruit is gathered and the vine has shed its foliage, the cane should be cut back to two buds of the old wood. The following spring allow but one bud to throw out a shoot, and treat as in the previous year. This system of pruning should be followed each year. After the vine has undergone the fall pruning, it should be laid upon the ground and covered to protect it through the winter. Grape-vines should be top-dressed in the spring.



NIAGARA. (See preceding page.)



LONG BUNCH HOLLAND CURRANTS.

Currants

Plant in well-drained land and mulch heavily.

Black Naples. A vigorous plant; fruit very large.

Cherry. A very large, red Currant, with short clusters; a vigorous plant and one that bears well if planted on strong land and well cultivated.

Fay's Prolific. The largest Currant known; clusters long and color dark red; fruit very uniform in size. Rather tender in this latitude.

Long Bunch Holland. A strong, stumpy growing plant, which grows to an immense size. The plant does not bear young, but yields enormous crops; berry large; clusters long; color red.

Red Dutch. One of the best of old sorts. A vigorous plant; bears well.

Victoria. Fruit medium size and bright red; clusters long; season late; a vigorous grower.

Versailles. Red; almost as large as Cherry, and very prolific.

White Dutch. This is probably better known than any other white Currant; bears well.

White Grape. A very large berry, and of the best quality; highly esteemed for table use. The best of all white kinds. Plant on rich soil.

Gooseberries

Plant Gooseberries on good, strong land, and keep them well cultivated or heavily mulched.


Columbus. The fruit is of largest size, handsome, of a greenish yellow color, and the quality is excellent. The plant is vigorous and productive.

Downing. A seedling of Houghton. Fruit large, two to three times the size of Houghton; whitish green; flesh soft, juicy, good; plant vigorous and prolific; excellent for family use, and very profitable for market.

Houghton. Vigorous grower; branches rather slender; very productive; not subject to mildew; fruit of medium size; skin smooth, pale red; flesh tender and good.

Red Jacket (Joslyn.) A most prolific and valuable Gooseberry; as large as the largest; berry smooth; very hardy; quality and foliage best of any Gooseberry known. The introducer says of it: "For ten years it has stood close to Triumph, Crown Bob, Whitesmith, Smith's Improved, Downing, and more than a dozen other sorts; and while these others have all mildewed in leaf and fruit, mildew has never appeared on Red Jacket."

Smith (Smith's Improved). Grown from the seed of Houghton; fruit large, oval, light green; flesh moderately firm, sweet and very good; plant vigorous, hardy and productive.



RED JACKET GOOSEBERRIES.

Raspberries

Our Raspberries are not the usual tip plants which are so commonly sent out through the West, and which are so easily destroyed by a little exposure, but have been transplanted and grown one year from the tip. This gives our customers a strong, woody plant which will better stand transplanting, and will make stronger growth when planted.

CULTURAL NOTES.—Raspberries may be planted either in the fall or spring, but when planted in the former season it is a good plan to mulch the ground heavily with manure; when plants have fruited, the old canes which have borne a crop of fruit should be removed in the fall; it is also best to thin out the weaker canes, leaving only five or six strong stalks in a hill. These should be laid down and covered lightly with leaves, straw or dirt; the latter is the best, as it lessens the liability of injury from mice. In the summer season, when canes have grown to about three feet, pinch off the tip; this will make them branch and increase the bearing surface.

Columbian. New. Purple; very vigorous grower; canes often ten to sixteen feet in length and more than one inch in diameter; very hardy. Fruit large and delicious for table or canning. Excellent shipper. Grown from tips or sprouts.

Cuthbert (Queen of the Market). Medium to large, conical, deep rich crimson; very firm, sweet and good; hardy. Season medium to late. Unquestionably one of the best varieties for market on account of its prolific-bearing quality.



HILBORN RASPBERRY.

RASPBERRIES, continued

Golden Queen. Large; beautiful amber color; firm and of fine quality; plant vigorous and remarkably productive.

Gregg. One of the most valuable varieties of the blackcap family; fruit very much larger than the Mammoth Cluster, but not quite so good in quality; ripens some days later; hardy. A vigorous grower and great yielder.

Hilborn. A strong, vigorous plant; growing taller than the Older. Berry large, black and of fine quality. This variety has done best of all on our grounds. Its blossoms mature late and are seldom caught by the frost.

Kansas (Blackcap). A valuable early variety; very large, handsome, firm, and of excellent quality; very hardy and productive. One of the best blackcaps.

Loudon. This variety originated at Janesville, Wisconsin, and is usually considered the best of all red Raspberries for the extreme North. It is reported perfectly hardy at St. Paul. Fruit large,

good color, and of fine quality. Very productive.

Older. A new blackcap of large size, which originated in Buchanan county, Iowa. Thought by some who know it best to be the best of the black varieties.

Pitt's Seedling. A variety which originated in northern Iowa. One of the very hardiest of plants. Fruit very nearly if not quite as large as the Gregg, and of much finer quality; very productive and a rank-growing plant.

Shaffer's Colossal. This variety resembles the Columbian in fruit and is one that has been highly esteemed, but of late years the canes have been so infested with fungus and insect pests that the variety has been practically discarded. The Columbian is practically the same in fruit, and better in every other way.


Turner. One of the sweetest of berries; bright crimson in color, and perfectly hardy. A good bearer.

Blackberries

We grow our Blackberry plants from root-cuttings, and in this way get plants with plenty of fibrous roots, which make sure the growing of the plant. In fruiting patches of Blackberries there will spring up many plants from the root, and these are the plants that are usually dug up and sent out to the trade. They have but few, if any, fibrous roots, and are much more apt to die when planted, and will not make the growth after planting that the plants will when grown from root-cuttings.

Ancient Briton. This has been much planted for many years in Wisconsin, and has proved one of the most profitable fruits for market growing. Plant hardy and very productive; fruit large and sweet.

Snyder. One of the hardiest and best known sorts grown in the West. Fruit large and of good quality when fully ripe; very vigorous and productive. Ripens but little later than Early Harvest.



The above photograph represents a block of Blackberry plants growing from root-cuttings on the grounds of the Sherman Nursery Company. By this process of growing they get fibrous-rooted plants which do much better than plants grown in the ordinary way, after transplanting.

Miscellaneous Fruits

Dewberry, Lucretia

Fruit much resembles the blackberry, but very much larger; an enormous bearer. Plant runs on the ground and needs same winter protection as blackberry.

Dwarf Juneberry

Fruit hard to distinguish from blueberry or huckleberry. The shrub grows about four feet high, and bears annually an abundant crop of fruit, which ripens in June.

High-Bush Cranberry

Bush closely resembles the snowball; perfectly hardy in northern Minnesota. This shrub bears extremely well; color of fruit bright scarlet; hangs in clusters; ripens in fall and will hang on all winter. It makes a very fine jelly of beautiful color. The plant is highly esteemed both for fruit and ornamental purposes.

Japanese Wine Plant

This variety belongs to the raspberry family and has, we think, no particular value except as an ornamental plant. The canes are a deep red and are covered with fine thorns, which give the canes, flowers and fruit the appearance of Moss rosebuds and canes.

Russian Mulberry

A very rapid-growing plant; bears well; fruit sweet, variable in size and color; leaf dark green and of very different shapes; some are birch-shaped, others cut and notched as much as any of our oaks, and in as many different shapes as all the varieties put together. Will stand almost any amount of drought.

Vegetables

Asparagus

Columbian Mammoth White. This variety produces very large white shoots and is more valuable for canning than any other. It is a very rapid-growing plant.

Conover's Colossal. Shoots deep green and often over an inch in diameter; are thrown up very rapidly from this variety. One of the best.

Rhubarb, Linnaeus

The very finest variety of Pie Plant; very large, early, tender and fine.

Suitable Distances for Planting

Apples 24	by 24	feet	Gooseberries 3	to 6	feet
Pears 18	to 20	"	Raspberries, Red 3	by 4	"
Peaches 16	to 18	"	Raspberries, Black 3	by 6	"
Cherries 15	to 18	"	Blackberries and Dew-		
Plums 16	to 20	"	berries 3	by 6	"
Grapes 8	to 10	"	Strawberries, rows 1	by 3½	"
Hedges 1¼	to 1½	"	Asparagus 1	by 3	"
Currants 3	to 4	"	Rhubarb 3	by 6	"

Number of Trees or Plants on an Acre

2 feet each way	10,790	12 feet each way	302
3 " " "	4,850	15 " " "	194
4 " " "	2,723	18 " " "	135
5 " " "	1,742	20 " " "	110
6 " " "	1,210	24 " " "	71
8 " " "	680	32 " " "	40
10 " " "	430		

To ascertain the number of plants required to the acre at any given distance, divide the number of square feet (43,560) in an acre by the number of square feet you desire to devote to each plant. For instance, in strawberries planted 1½ by 4 feet, each hill will occupy 6 square feet, making 7,260 plants to the acre.

WEEPING TREES

Mountain Ash

A pendulous weeper of irregular, rapid growth; sometimes planted in the center of small arbors and trained about them as a vine.

Cut-leaved Birch

Tree tall and slender, with pendulous branches. The bark of this tree is silvery white when tree is mature; foliage dark green, glossy and beautifully cut. We regard this as the most attractive of all upright-growing weeping trees. Have seen branches cut from this tree 5 feet long and only $\frac{1}{16}$ of an inch in diameter at the base. This tree will stand any kind of exposure; it is perfectly hardy.

Camperdown Elm

Grafted 6 to 8 feet high, this forms one of the most picturesque drooping trees. It is of rank growth; the shoots often making a zigzag growth outward and downward of several feet in a single season. The leaves are large and dark green, and cover the tree with a luxuriant mass of verdure.

Tea's Weeping Mulberry

This tree is similar in general appearance and habit of growth to the Kilmarnock Weeping Willow, but it grows much more rapidly and the branches are more drooping. This variety will frequently grow from 5 to 6 feet in a season, and it is nothing uncommon to see the branches trailing on the ground. The leaf is of the same general form as the Russian Mulberry of which it is a variety. We regard this as the hardiest of all dwarf weepers.

Willows

Kilmarnock. A variety of the Goat Willow, or common willow. Grafted 5 to 7 feet high upon the Comewell stock, it forms, without any trimming, an exceedingly graceful tree, with glossy foliage and perfect umbrella head unique in form. Vigorous and thriving in all soils, it is probably more widely disseminated than any of the finer ornamental trees. Not quite hardy here.

Wisconsin. The hardiest of all weeping Willows; grows very large, with long, slender, drooping shoots; a magnificent tree in the mountain region of the West.



TEA'S WEEPING MULBERRY.

SHADE AND ORNAMENTAL TREES

Green Ash

Known in the West as White Ash. A native tree of rather slow growth, but of hard, tough fiber. One of the best of timber trees. This tree thrives better than almost any other tree in dry sections, such as North and South Dakota.

Basswood (American Linden)

This is one of our strongest-growing native trees, and one of the most desirable trees we have for shade purposes. It grows rapidly to immense size, and forms a round, compact top; this, with its broad deep green leaves, makes a dense shade.

European White Birch

A rapid-growing tree, and when fully developed has snow-white bark. This tree is practically of the same form as the Cut-leaved Birch, but lacks the pendulous habit of the latter, and also its cut leaves. It is a very desirable tree.

Catalpa speciosa

A very rapid-growing tree, highly recommended for post timber; leaf heart-shaped, light green and very large. Some specimens are not entirely hardy in this latitude. We consider that its principal value here is as an ornamental tree. It bears large trusses of beautiful flowers of light lilac color, sprinkled with brown; very fragrant.

American Sweet Chestnut

The nuts of this tree form quite an item in our commerce. Although smaller than some other sorts, they are sweeter and more delicately flavored. This Chestnut is also a grand timber and ornamental shade tree, spreading, in midsummer, billowy masses of creamy, fragrant catkins above its large, deep green leaves, making a most beautiful specimen on the lawn.

Horse-Chestnut

This tree has an elegant pyramidal form, with large, deep-lobed leaves and showy upright panicles of red or white flowers. Tree hardy, vigorous and free from insect pests. This is among the first trees to unfold its leaves in spring.

Black Cherry

This is the common black Cherry of our forests. A tree of rapid growth. The lumber of this tree, we are told by parties well posted, is of more value than that of mahogany. It is a tree that should be much more cultivated than it is.

Cottonwood

A native tree of much value in the West.

Box Elder

A low-spreading tree of rapid growth, well adapted to dry and cold climates. One of the best trees for the Northwest.

White Elm

The native white or water Elm of our forests: too well known to require description. The most beautiful of all shade trees for this climate.



WHITE ELM.

Hop Tree, or Wafer Ash

A small tree, seldom growing over 12 feet high; perfectly hardy; leaf three-lobed, dark green and glossy; seed enclosed in a circular wing, which hang in clusters. It has a very peculiar strong hop smell.

European Larch

This is one of the most rapid-growing of the coniferous trees, frequently making a growth of 3 or 4 feet in a year. The wood is hard, and when the trees are mature makes a very durable post timber. In Europe trees have been grown slowly. The timber has been used for piling along wharves, and has been known to have lasted for hundreds of years. This tree closely resembles the American Tamarack, but differs from it in being of more rapid growth, and cones of much larger size.

Black Locust

This is the common form of Locust grown through the central West. Rather a slow-growing, hard-wooded tree with yellow or white flowers borne in long, pendulous racemes. The flowers are very fragrant and wood durable as post timber.

Magnolia acuminata (Cucumber Magnolia)

A beautiful pyramidal-growing tree, attaining from 60 to 90 feet in height. Leaves 6 to 9 inches long.

Maple

Norway. A handsome tree, of fairly rapid growth, forming a dense, rounded head of strong branches and broad, deep green leaves. Sturdy, compact, vigorous, it is one of the very best trees for lawns, parks and gardens.

Soft, or Silver. The common soft Maple west of the Mississippi, with red bark and leaves white on under side.



NORWAY MAPLE.

MAPLE, continued

Wier's Cut-leaved Silver. It is a variety of the Silver-leaved Maple, and one of the most remarkable of trees, with cut or dissected foliage. Its growth is rapid, shoots slender and drooping, giving it a habit almost as graceful as the Cut-leaved Birch. The foliage is abundant, silvery underneath, and on the young wood especially deeply and delicately cut. The leaf-stalks are long and tinted with red on the upper surface. It ranks among the most interesting and attractive lawn trees, and may be easily adapted to small places by an occasional cutting back, which it will bear to any degree necessary.

Mountain Ash

European. A fine, hardy tree; head dense and regular; covered from July till winter with great clusters of scarlet berries.

Oak-leaved. A hardy tree of fine pyramidal habit. Foliage simple and deeply lobed, resembling the oak; bright green above and downy beneath. One of the finest lawn trees.



FLOWERS OF TULIP TREE.

Poplar

Carolina. One of the most rapid-growing of our native shade trees. Leaves very large, deep green and glossy. Tree hardy and of much value where a quick screen or shade is wanted.

Russian. This tree closely resembles the Carolina Poplar, but is of slower growth, and is claimed by good authority to have no advantage over it.

Double-Flowering Plum

(*Prunus triloba*)

A native of China. The flowers resemble our Flowering Almond, but are much larger. The clusters of the flowers are also similar, but the tree grows much larger and is hardy.

Tulip Tree

A rapid-growing native tree of pyramidal form, resembling the hard maple, but with less rounded top. Flowers closely resemble the tulip; yellow in color, with deep orange at the base of petals, about 2 inches in length. It can hardly be classed as hardy in this latitude.

Wild Crab

This is our native Crab, *Pyrus Coronaria*. Tree seldom grows more than 12 feet high, with rounded top and bright pink blossoms.

Willow

Golden. A rapid-growing Willow, with bright yellow bark; very attractive where planted in masses for winter decoration.

Laurel-leaved. Leaves in color, texture and shape resembling the laurel. Tree round-topped and of rapid growth; perfectly hardy.

EVERGREENS

The only trouble in handling evergreens is allowing the roots to get dry. The sap of these trees is resinous, and if allowed to dry it hardens and closes the pores of the wood and thus stops the circulation and kills the tree. Very little exposure to hot sun or drying winds will sometimes do this. Great care should be taken in planting to keep goods from exposure to either sun or wind, and they must be kept moist.

Arborvitæ

American, or White Cedar. This tree is very unique in its habits of growth, the leaf gradually hardening and forming the wood of the tree; habit upright; much inclined to branch and form more than one trunk; one of the best trees for ornamental hedging.

Golden. Same form and habit as the American Arborvitæ, but with bright yellow foliage on new growth.

Cedar

Red. A very slow-growing tree, and one highly prized in very dry places; it is, however, subject to blight and searing if seasons are moist.

Colorado Silver. This variety is midway between our native Cedar and the Irish Juniper in form, but far more silvery than either. We regard it as more beautiful in color than the Colorado Blue Spruce. Tree is a native of Colorado.



EVERGREEN DRIVEWAY ON SHERMAN HOMESTEAD.



IRISH JUNIPER.

Balsam Fir

Tree conical in form; foliage deep green on upper surface and silvery on lower surface. A very symmetrical tree and very beautiful while young, but inclined to shed its small branches and become scrubby and naked before it arrives at any considerable age.

Hemlock

Sometimes called Weeping Spruce. This is the native Hemlock of the North and East. Where grown in sheltered places there is nothing finer than this for a

clipped hedge; it will not stand exposure, however, to dry winds of extreme temperature.

Irish Juniper

Foliage same as red cedar; top very narrow and symmetrical; color silvery green; one of the most beautiful of evergreens, but tender in this latitude and not recommended for planting in exposed situations.

Pine

Austrian. It is one of the best foreign species for this country. Its growth, even when young, is characteristically stout and sturdy. A remarkably robust, hardy, spreading tree of grand size; very dark and massive in effect, and when planted in an appropriate location is distinct and unique. One of the hardiest in dry sections.

Scotch. One of the most rugged of all evergreens; a very rapid-growing tree and one which will stand almost any climate. We know of no tree that will compare with it for windbreak purposes on our open prairies.

Ponderosa. A very rapid-growing Pine of the Rocky mountains. The leaves of this Pine are very long and silvery, hence the name. It is highly prized through some sections of Nebraska and Dakota where evergreens are hard to grow.


White. A rapid, upright-growing tree; foliage fine and soft to the touch. The most ornamental of Pine trees and excelled by none for timber purposes. Not hardy in dry and wind-swept places.

Spruce

Colorado Blue. A slow-growing tree with branches broad and fan-shaped. This species varies greatly in color, from pale green to a beautiful silvery green. Specimens of the latter color are hard to obtain, and for that reason are very expensive.

Norway. Conical in form; color bright green; foliage sharp-pointed. Stands crowding well; an excellent tree for windbreaks and ornamental purposes.

White. We consider this the most beautiful of all the Spruce family. In shape it differs but little from the balsam fir while young, but is broader at the base when large. The foliage is finer than that of the Norway Spruce and of a silvery green. Tree extremely hardy, of moderate growth and holds its beauty longer than any other evergreen known to us.



BLOCK OF AMERICAN WHITE SPRUCE.

This is the hardiest of all known trees; it is the last to disappear as we go north into the Arctic regions. It is more bushy than the Norway Spruce, far more hardy and will stand more drought; it grows wild as far west as the Black Hills. The above photograph was taken from a block of trees in nursery row on the grounds of the Sherman Nursery Company, Charles City, Iowa.



THUNBERG'S BARBERRY.

HEDGE PLANTS

Arborvitae

For description, see Evergreens, page 26.

Barberry

A perfectly hardy shrub, much used where a low-clipped hedge is wanted. The stalks are covered with three-pronged thorns; the framework of the leaf also terminates in thorns, which extend a little beyond the leaf. In June the shrub is loaded with very pretty, though small, yellow flowers, and in fall with bright red berries, which are very attractive. The fruit in quality much resembles the cranberry and is highly prized for jelly.

Purple-leaved. This variety is identical with the Barberry described above, with the exception of the color of the leaves and flowers. The leaves are dark purple and the flowers a purplish yellow. It is very hardy, and with a background of deep green is very effective for lawn decorations.

Thunberg's (*B. Thunbergii*). This variety is very unique, and forms a compact, round-headed shrub about 3 to 3½ feet high. The foliage is peculiar in form; branches very thorny. It is greatly admired.

Buckthorn

This, beyond question, is the hardest of all of our hedge plants. It is rather

slow-growing; foliage very dark; blossoms white; fruit black; berries clinging to branches until late in the winter. For hedge purposes it should be kept clipped.

Elaeagnus Angustifolia

This variety is better known in some sections as Russian Olive. The foliage is covered with white down, which gives the tree a white appearance when in full leaf. The blossoms are small and very fragrant, in fact so fragrant that the odor will frequently be detected even a quarter of a mile away. The berries are light silvery color dotted thickly with fine brown specks. This tree should be clipped for hedge purposes, as it grows to a moderate-sized tree if given its own course. It should be in every yard.

Honey Locust

A magnificent shade tree, with compound leaves and long, deep brown seed-pods, frequently 10 or 12 inches in length. It is usually very thorny; thorns with two or more branches and from 1 to 6 inches long.

Osage Orange

This is the common hedge plant of southern Illinois, Ohio and Missouri. Where kept thoroughly clipped it makes a good fence.

NUT-BEARING TREES

Butternut

A most valuable nut tree; we have known them to bear at seven years from the seed.

Chestnut

Sweet. See Shade and Ornamental Trees.

Horse. See Shade and Ornamental Trees.

Hazelnut

The common native nut-bearing shrub of our woods.

Hickory

Bitter. This tree closely resembles the shellbark, but with a bitter nut instead of a sweet one. The wood is also less valuable.

Shellbark. In flavor and quality of kernel this is generally esteemed the choicest of our native nuts,—of all nuts, some experts have said. The tree is a handsome, stately shade tree, with tough white wood of great strength and elasticity, marketable at high prices.

Oak

Pin. Almost pyramidal in habit, and sometimes described as half-weeping when old, because its lower branches touch the ground. It grows faster and develops the family characteristics earlier than most Oaks, as may be seen from some fine avenues planted within the last score of years. The leaves are deep green, glossy and finely divided. Orange-scarlet in fall.

Red. A large tree, unusually large in leaf and quick in growth. The young shoots and leaf-stems are red, the foliage purplish crimson in autumn. A most beautiful, majestic object on the lawn; acorns very large.

White. Grandest of its genus and of our Ameri-

can trees. A spreading, towering species, with rugged, massive trunk and branches. The deeply-lobed leaves change to dark crimson in fall.

Black Walnut

Too well known to need description. The lumber of this tree is becoming immensely valuable. We were informed by one of the leading furniture manufacturers of this state, a short time since, that the best grades of black walnut lumber could not be bought for less than \$250 per thousand feet.



PIN OAK.

FLOWERING SHRUBS

Althea, or Rose of Sharon

Double-flowering. There are many varieties of these plants with a great variety of habit. They belong to the Hibiscus family, and are not hardy in this section, except where well protected. They bloom very freely in August and September, and flowers vary much in color among the different varieties.

Flowering Almond

A low shrub with leaves similar in shape to our wild plum, but a little more pointed; flowers very double. We grow two kinds, one with red and the other with white flowers.

Bechtel's Double-Flowering Crab

Most beautiful of all the fine varieties of Flowering Crabs. At a distance the pretty medium-sized tree seems to be covered with dainty little roses of a delicate pink color. Blooms when quite

young. Is very fragrant. This is a variety of our native wild Crab, *Pyrus coronaria Iowensis*.

Barberry

Purple-leaved. See Hedge Plants.

Thunberg's. See Hedge Plants.

Buffalo Berry

A native shrub in the dry sections of both North and South Dakota, and it is also found throughout the Rocky mountains from Canada to Mexico. The flowers are small and yellow. The berries are a bright red and very sour. The leaves are a downy white on both sides. A peculiar shrub and should be much more grown than it is for ornamental purposes.

Calycanthus floridus

(Carolina Allspice, Sweet Shrub)

This unique shrub grows rapidly upright, clothing its straight, strong, reddish brown shoots with large, glossy leaves, from the axils of which spring odd, double, spicily fragrant flowers of chocolate-red. It is a hardy native shrub that deserves much wider planting.

Cornus sanguinea


The leaves are elegantly marked with white, contrasting finely with the deep blood-red bark; hardy.

High Bush Cranberry

We have been trying for years past to save from total destruction some of our native shrubs and plants. Among these we class the High Bush Cranberry as one of the most desirable. It resembles the snowball, both in form of plant and leaf. This shrub will grow to a height of from 8 to 15 feet, and is not troubled with insect pests. It is most highly appreciated in winter when it is covered with large clusters of scarlet berries, which, if not disturbed, will hang on until spring. The fruit is prized by many for the brilliantly colored and highly flavored jelly which is made from the berries. The shrub is perfectly hardy. It succeeds best in a moist, rich soil.



BECHTEL'S DOUBLE-FLOWERING CRAB.



HYDRANGEA PANICULATA GRANDIFLORA.

AM. GARD.



WHITE LILAC.

Deutzia

D. crenata. The beautiful white single-flowered species that is a mass of bloom in early June. Often preferred to the double sorts.

D. crenata fl. pl. A double form of the type. Handsome and effective. The white flowers are delicately flushed with pink.

D. crenata, Pride of Rochester. A showy early and large-flowering sort that blooms in May before the others. The flowers are large, double, white, tinted with rose on the outer edges.

D. gracilis. Slender-branched Deutzia. A neat, dense little bush of low habit, that blooms in May, wreathing its drooping branches with pure white flowers. Equally valuable for shrubberies and forcing.

Cut-Leaved Golden Elder

The leaves of this variety are fern-like in formation, and the shrub is of half-drooping habit. One of the finest in cultivation, being especially effective in masses.

Elaeagnus

See Hedge Plants.

Euonymus

(**Waahoo, or Strawberry Tree**)

One of our native shrubs; it seldom grows over 6 feet high; symmetrical; leaves oblong, dark green and glossy; fruit similar to bitter-sweet.

Fringe

Purple. Smoke Tree. From the south of Europe. Much-admired shrub for its curious fringe, or hair-like flowers, that cover the whole surface of the plant in midsummer.

White. This shrub belongs to the Ash family; is very slow-growing and perfectly hardy. Blossoms white, with long, narrow petals, giving the shrub a fringe-like appearance when in full bloom. The leaves are very large and glossy. A very desirable shrub.

Tartarian Honeysuckle

A woody, upright-growing shrub, with pink flowers and deep green leaves; blossoms in June; blooms profusely.

Hydrangea paniculata grandiflora

Very hardy; grows from 6 to 10 feet high; loaded in August and September with large spikes of flowers, ranging in size from 6 to 12 inches; color white.

Lilac

White. The common white Lilac.

Purple. Also very common.

Persian. A native of Persia; rather a small plant, seldom growing over 6 feet; foliage small; flowers bright purple. A profuse bloomer.

Double-Flowering Plum

(*Prunus triloba*)

A native of China. The flowers resemble our Flowering Almond, but are much larger. The clustering of the flowers is also similar, but the tree grows much larger and is hardy.

Japan Quince

Has bright scarlet-crimson flowers in great profusion in the early spring. One of the best shrubs in the Catalogue. Not quite hardy here.

Japan Snowball

Of better habit than the familiar older form, with handsome plicate leaves and more delicately formed; whiter flowers.

Snowball Tree

A well-known favorite shrub of large size, with globular clusters of pure white, sterile flowers the latter part of May.

Snowberry

A slow-growing plant, covered in the latter part of the summer and early fall with white berries about $\frac{3}{8}$ inch in diameter. Perfectly hardy.

Spirea

Billardi. Rose-colored flowers in spikes. In bloom nearly all summer.

Van Houttei. A beautiful shrub, growing 4 to 6 feet high. Blossoms in clusters about $1\frac{1}{2}$ to 2 inches in diameter; flowers white and borne in great profusion, frequently covering the plant when in bloom. It is one of the finest shrubs we have for cemetery use, and also makes a beautiful ornamental hedge. It is perfectly hardy as far north as northern Minnesota.

Anthony Waterer. Dwarfish shrub, seldom growing more than 2 feet high. Flowers bright rose color, and borne in great profusion. It begins blooming in June and continues until frost kills the flowers. Very desirable for a border plant.

Aurea. The principal value of this shrub comes from the color of its foliage. It is the most desirable yellow-leaved plant for this latitude. Blossoms white and borne in flat clusters about 2 inches in diameter.

Staghorn Sumach

A large shrub or small tree, sometimes growing to the height of 20 feet. This differs from the common Sumach in that the wood is covered with a fine thorny substance closely resembling the moss on the horns of a stag soon after molting, hence the name.

Syringa, or Mock Orange

A vigorous-growing, hardy shrub, from 6 to 10 feet high; blossoms pure white; a very profuse bloomer; have seen this shrub 12 feet high, so loaded with bloom that its branches were bent to the ground; leaf large and dark green.

Garland Syringa. Very similar to the Syringa, or Mock Orange, but a stronger plant, and flowers nearly twice as large; have seen them measure $2\frac{1}{2}$ inches in diameter. Blossoms in early summer.

Weigela rosea

An elegant shrub, with fine rose-colored flowers. Introduced from China by Mr. Fortune, and considered one of the finest plants he has discovered. Of erect, compact growth; blossoms in June.

White Thorn

A small native tree, with flat-topped white flowers and red fruit. It was originally quite common in this section, but is now almost extinct. Very desirable where a small tree is wanted.



SPIRÆA VAN HOUTTEI.



Roses

All Roses in this latitude need winter protection, and in this list where Roses are classed as hardy, we mean hardy with winter protection.

African Black, or Black Prince. A moderate-growing, hardy, profuse-blooming plant; flowers very dark purplish red, almost black.

Baron de Bonstettin. A fine Rose, velvety maroon in color, shaded with deep crimson.

Baltimore Belle. A climbing Rose, a little more slender in habit than *Prairie Queen*; flowers freely; color light pink, fading to white.

Blanche Moreau. One of the remontant type of Roses, white in color, and very desirable. One of the best of perpetual white moss Roses.

The Bride. Most beautiful of the white Tea Roses, and forced in numberless quantities every year. The great, solid

flowers remain perfect long after cutting; the stems are long and stiff, the foliage large and glossy; tender.

Bridesmaid. Clear bright pink, of an exquisite shade. Grown chiefly for its large, solid and handsome buds; the stems are good; the foliage glossy. Excellent also for bedding. Not hardy in this latitude.

Crimson Rambler. The famous crimson-clustered climber, so extremely effective when grown on pillars and trellises. The plant is a vigorous grower, making shoots 8 to 10 feet long in a season. The foliage is large and glossy; the plant looks like a mass of double crimson flowers when in bloom. The panicles are large and remain perfect for several weeks. Hardy anywhere.

ROSES, continued

Coquette des Alpes. A free-blooming Rose of medium size; white, tinged with pale rose. Exceedingly dainty and attractive.

Clothilde Soupert. A grand free-flowering Rose; fine for bedding out or pot culture. The flowers are very double and handsomely formed, borne in sprays. Outer petals pearl-white, shading to a center of rosy pink.

Duke of Edinburg. A seedling of General Jacqueminot; large, double flowers with little fragrance, bright crimson in color; foliage large and attractive. Blossoms very early in the season. A handsome Rose.

General Jacqueminot. A probable seedling from the Hybrid China, Gloire des Rosamanes. Brilliant crimson; not full, but large and extremely effective; fragrant and of excellent hardy habit; forces well.


Gem of the Prairie. A cross between Prairie Queen and Hybrid Perpetual; a half climber and hardy; a little lighter than Prairie Queen, and very beautiful; blooms freely.

Harrison's Yellow. The old yellow Scotch Rose, well known by all; very hardy and a profuse bloomer.

John Hopper. A seedling from Jules Margottin, fertilized by Mme. Vidot.



GENERAL JACQUEMINOT.



CRIMSON RAMBLER.

Bright rose with carmine center; large and full. A profuse bloomer; standard sort; hardy.

Madame Charles Wood. Brilliant red; large and full; of fine form; a fine autumn bloomer.

Magna Charta. A hybrid that is very fine early in the season; color bright rose; large and full.

Marshall P. Wilder. Raised from the seed of General Jacqueminot. It is of vigorous growth, with healthy foliage; flowers large, semi-globular, full, well formed; color cherry-carmine, much like a light-colored Marie Baumann, or a shade deeper than Marie Rady, and very fragrant. In wood, foliage and form of flower it resembles Alfred Colomb, but



PAPA GONTIER.

ROSES, continued

the seedling excels that famous variety in vigor, hardiness and freedom of bloom. It continues to bloom profusely long after the other remountants are out of flower. In brief, it may be described as an improved Alfred Colomb, and as good a Rose as has been raised by any one. It is undoubtedly the finest of its color.

Mrs. John Laing. An exceptionally handsome and free-blooming Rose, of vigorous growth and fine habit. The color is a soft and delicate shade of pink; the flower is large and well formed, very fragrant and produced on good stems. A variety of especial value, as it blooms continuously in the open ground, and is also excellent for forcing, the buds selling at high prices.

Madame Plantier. One of the hardiest of white Roses and a rank-growing plant; a profuse bloomer; flowers medium size.

Papa Gontier. The buds are extra large, of good substance and fine form. Color bright cherry-red, changing to vivid carmine. One of the best for bedding.

Paul Neyron. The largest Rose in cultivation, sometimes called

the Peony Rose; color bright, fresh cerise-red. The plant makes a strong, healthy growth, and has clean, glossy foliage; blooms almost without intermission from June until late October.

Prince Camille de Rohan. A velvety, blackish crimson Rose, of deep distinct shade; large, full, very handsome.

Prairie Queen. A well-known and much-admired climbing Rose; a rank grower and profuse bloomer; flowers large, double and red. Have known plants of this variety to have over a thousand blossoms on at one time. Probably the best climbing Rose for this latitude.

Red Moss. Stalks, flowers and buds covered with fine thorns, much resembling moss.

Rosa rugosa. Hardest of all Roses. This Japanese Rose forms a sturdy bush, 4 to 5 feet high, covered with large, dark green, glossy foliage, crowned with terminal clusters of 10 to 20 flowers, each 3 inches in diameter. Perfectly hardy. A valuable plant for the hardy border or shrubberies, its large, handsome, scarlet



MRS. JOHN LAING.



FLOWERS AND FRUIT OF ROSA RUGOSA.

ROSES, continued

fruits being very ornamental all through the autumn and early winter months. It also makes a splendid hedge, its foliage being impervious to the attacks of insects of all kinds.

Rosa rugosa alba. Same as above, except in color.

Seven Sisters. Named from clusters of flowers which it bears; flowers medium size, light rose color, double. A climbing Rose of medium growth.

Sunset Tea. A sport of the Perle des Jardins, differing from the parent plant only in color, which is a tawny shade of saffron and orange; very beautiful.

Vick's Caprice. A novel striped Rose, with ground-color of soft satiny pink, distinctly marked with white and carmine. It is large and full, with beauti-

ful long buds that show the stripes to advantage.

Victor Verdier. Bright rose, with carmine center, a very fresh shade of color; not fragrant; free bloomer; wood very nearly smooth.

White Moss. Same as red moss, except in color.

White Rambler (Thalia.) Similar to the Yellow Rambler in every way except color, which is pure white.

Yellow Rambler (Aglaia.) This new Hybrid Noisette produces its flowers in the same manner as the popular Crimson Rambler—that is, in large pyramidal-shaped trusses, frequently bearing from 50 to 100 flowers in a truss. In color it is a decided yellow, with moderate-sized cut-shaped nearly full flowers, which are sweetly scented.

Vines

Ampelopsis

A. quinquefolia. The common Five-leaved Ivy, or Virginia Creeper.

A. Veitchii. Japan Creeper; Boston Ivy. Leaves smaller than those of the American, and overlap one another, forming a dense sheet of green. The plant is a little tender while young, and requires protection the first winter; but once established there is no further risk. It grows rapidly and clings to wall or fence with the tenacity of ivy; the foliage is very handsome in summer, and changes

to crimson-scarlet in autumn. For covering walls, stumps of trees, rockeries, etc., no plant is so useful. For the ornamentation of brick and stone structures, it can be specially recommended.

Bitter Sweet

A twining vine of very rapid growth, and waxy green, single-lobed leaf; bright scarlet berries. Perfectly hardy and very beautiful.

Clematis


C. paniculata. A great novelty from Japan. It has proved to be one of the most desirable, useful and beautiful of hardy vines, being a luxuriant grower, profuse bloomer, and possessing fine foliage. It is particularly useful for covering verandas, pillars and fences, where a trellis or support can be provided for it to climb on. The flowers are of medium size, very pretty and fragrant, and produced in greatest profusion in late summer. We can recommend this novelty in the strongest manner as one of the best vines to grow near the house. It makes a growth of from 25 to 30 feet in a single season, and should be cut back to the ground each spring.

C. Virginica. A remarkably vigorous plant, and one of the finest for covering arbors, porches, and the like. This vine has been known to grow at the rate of 3 inches per day, and frequently makes a growth of 20 feet in a season. It is perfectly hardy. Flowers small, greenish white, and seed-pods very conspicuous and light gray in color.

C. coccinea. Small, bright coral-red; inverted bell-shaped; open but little. Very peculiar. Hardy and attractive.

C. Jackmani. Large, intense violet-purple; remarkable for its velvety richness; free in its growth and an abundant and successive bloomer.

C. Jackmani alba. This differs from *C. Jackmani* only in color of flower, which is a clear white, and in the vine being rather more of a slender grower.



CLEMATIS PANICULATA.



PURPLE WISTARIA.

Dutchman's Pipe

(*Aristolochia Siphon*)

A magnificent hardy vine of rapid growth, with very large, heart-shaped leaves and brownish flowers, resembling in shape a miniature pipe. Splendid for archways or verandas.

Trumpet Honeysuckle

One of the most desirable of our native twining plants. Foliage glossy and a little on the sage-green order. Flowers trumpet-shaped, about $1\frac{1}{2}$ inches long, with a salmon shade, with red on the inner side of trumpet. Flowers borne in clusters, and continues to flower nearly the entire summer.

Chinese Matrimony Vine

Sometimes trained as a shrub. Purple-flowered and showy-fruited. Extra vigorous in growth, bearing prodigious crops of large scarlet berries.

Moonseed

A native twining vine, of very rapid growth, with large deep green glossy

leaves, closely resembling the English ivy. The seed-pods are shaped like a new moon, hence the name. For covering stumps, stones or any low object, we know of no finer vine.

Trumpet Flower

(*Bignonia radicans*)

A vine closely resembling the Wistaria. Flowers borne in small clusters; blossoms 2 inches in length by $\frac{3}{4}$ inch in diameter. Very showy, but not quite hardy enough for our climate here. Needs good protection over winter.

Wistaria

Purple. One of the most attractive and rapid-growing of all climbing plants; attains an immense size. Has long, pendulous clusters of dark blue flowers in May and June and in autumn. The sight of a veranda ornamented with a strong-growing Wistaria is one never to be forgotten.

White American. The flowers are clear white; bunches short; free bloomer.

BITTER SWEET.
(See page 40.)

Bulbs



LEMOINE'S SEEDLING GLADIOLI.

Gladioli

Common Red. This is the common Gladiolus so frequently seen in our gardens; flowers borne in one-sided spikes; bright red.

Mixed Colors. Under the above heading we are selling a very fine lot of plants of our own origination from selected seed. Among them are some of the finest Gladioli we have ever seen, ranging in color from almost white to nearly black.

Lemoine's Seedling. Of the seedling Gladioli grown by Mr. Lemoine, we have some 10 or 12 varieties. These varieties range in shades from white with deep velvety red throats, to deep purple with throats almost black. The characteristic feature of the Lemoine's Seedling is the deep mottling of dark color in the throat of the flower, and the plants are a little irregular in their habits of growth. Desirable.

Iris

German. This group blooms early and with wonderful combinations of coloring. Easily distinguished from other Iris by their broad, sword-like leaves. We offer eight named varieties. Likes a drier soil than the Japan species.

Siberian. We regard this as one of the most desirable plants for a border, or for marking lines, etc., known to us. It is very persistent, and will hold its own in blue-grass sod. Foliage long, slender and graceful; flowers borne on slender stems about 18 inches to 2 feet high, usually two or three flowers on a stem. The flowers are a deep clear purple and very graceful. It is perfectly hardy, and we consider it one of the most desirable of the Iris family.

Lilies (*Lilium*)


Lilies are among the most beautiful of flowers, but they need planting on well-drained soil, and if fertilizers are used they must be well decomposed.

L. auratum. Very large, with gold band along the center of petals, much spotted with brown; very fragrant. Blooms in August.

L. lancifolium album. Same as *Lilium lancifolium rubrum*, with the exception that the plant is not quite so rank a grower. The flower is a pure waxy white. Perfectly hardy in this latitude.



GERMAN IRIS.



LILIUM AURATUM. (See preceding page.)

LILIES, continued

Lilium lancifolium rubrum. This we think beyond question the hardiest of all of the Japanese Lillies. The plant grows to the height of about 18 to 24 inches. Foliage dark green and lanceolate, hence the name. Flowers borne in clusters of from five to twenty, pink at margin of petal, deep rose color in center, thickly dotted with brown; petals curling back like petals of the Tiger Lily. We regard it as perfectly hardy.

L. tigrinum (Tiger Lily). Very common; color orange-salmon, spotted with dark brown.

Corn Lily

Foliage pale green, very long, slender and pointed. Flowers borne in clusters, and the individual flowers last but for one day. The Lily is salmon color, tinged with red. Perfectly hardy.

Day Lily*(Funkia alba)*

This is the common white Day Lily which we see so often in house culture. The blossoms are trumpet-shaped, glossy white in color, and borne in clusters. The plant is hardy here in open ground with but little protection.

Lemon Lily

A pretty plant, with long, narrow leaves, and flower-stalks 2 to 3 feet high, crowned by beautiful lemon-colored flowers, 3 to 4 inches in diameter; fragrant.

Lily-of-the-Valley

Low plant; flower-stalks about 6 inches high, with small, cup-shaped white flowers along the stalk.



LILY-OF-THE-VALLEY.



LATANIA BORBONICA.

Miscellaneous

Aquilegia caerulea

A fine Rocky Mountain species, with large flowers, often 4 inches across. The sepals are deep blue; petals pure white; spurs recurved. Splendid for cutting, the flowers retaining their freshness a long time.

Bleeding-Heart

A hardy perennial with heart-shaped, rose-colored flowers in drooping spikes. One of the best border plants; perfectly



BLEEDING-HEART.

hardy and easily cultivated; 2 feet high. Flowers in April or May.

Dahlias

This is the well-known plant so common in all old gardens. Flowers borne on stems from 3 to 5 feet high, varying in color from white to deep red, and from single to very double.

Palms

In house culture of Palms, care should be taken to keep them free from red spiders. This can be done by placing the plant on its side and showering the under side of the foliage with clean, cold water. This should be done at least once a week. The water chills the spiders and causes them to drop from the plant. Palms are also a class of plants of which the scale insects are very fond, and if scales are found on the plant they should be brushed off with some small, stiff brush. Care should be taken to keep the plants free from scales and red spiders, as they soon ruin the appearance of the plant if it is not kept free from them.

Latania Borbonica. This is the most desirable of the fan-leaved Palms for house culture. When plants are young they throw what are called seed-leaves which are not divided, simply lanceolate



KENTIA BELMOREANA.

PALMS, continued

leaves from 6 to 12 inches long, but when plants have attained the age of two years they begin to throw leaves which divide, and the divisions increase with the age of the plant. It is very easy of culture and will thrive best when not kept in bright sunlight, and will stand ordinary house temperature. It is one of the most desirable of Palms.

Kentia Belmoreana. This variety has rather short, fern-shaped foliage; very graceful and desirable, and will thrive under same conditions as *Latania Borbonica*.

Peony

Red. This is the common red Peony so well known that it needs no introduction. Perfectly hardy; blooms well under almost any circumstances.

White. Same as above, except in color.

Phlox

This is a class of plants which are much neglected. We have them ranging in color from white to deep blue. We regard them as very desirable for border planting. No perennial is more worthy

of culture, more satisfactory in every situation or more effective, either as individual plants or grouped in masses.



WHITE PEONIES.

Rudbeckia laciniata fl. pl., "Golden Glow"

A distinct, tall-growing hardy perennial, from 6 to 7 feet high. Foliage deeply cut, handsome bright green; flowers very double, rich golden yellow, 2 to 3 inches in diameter, borne on long smooth stems, forming for the tall plant a solid head of bloom. Excellent for cutting. Hardy.



YUCCA FILAMENTOSA.

Yucca filamentosa

This variety is distinguished from the other Yuccas in that it has threads or filaments along the margins of the leaves. This plant throws up flower-stalks which grow to the height of about 5 to 6 feet, branching in tree form, and when in full bloom are loaded with tulip-shaped, pendulent, white flowers. In this latitude the plant should have a light covering of straw, or some light material to give the best results. It is better planted on rather dry land.



COLORADO BLUE SPRUCE. (See page 28.)

We shall take great pains to get goods to our customers in the best condition.

The Sherman Nursery Company

CHARLES CITY, IOWA, MARCH 4, 1897.

To Whom it May Concern: The undersigned cheerfully recommend The Sherman Nursery Company, of Charles City, Iowa, to all parties desiring to plant nursery stock that is hardy and well adapted to cultivation in the great Northwest.

They are the most extensive growers of trees in the North, having in cultivation on their grounds, near this city, over half a million apple trees, hundreds of thousands of evergreens, and also large quantities of small fruit, ornamental trees, vines, shrubs, etc.

We believe the parties having charge of their work to be good business men, giving careful attention to the various details of their work, and that any contracts made by them will be faithfully performed.

Hon. P. W. Burr, Ex-Judge, 12th Judicial District, Charles City, Iowa.

Hon. Wm. B. Perrin, State Senator, Nashua, Iowa.

Hon. H. C. Baldwin, Mayor and President Citizens' National Bank, Charles City, Iowa.

J. H. Owen, Vice-President Northwestern Life and Savings Company, Des Moines, Iowa.

S. B. Hall, Cashier First National Bank, Charles City, Iowa.

F. B. Miner, Cashier Citizens' National Bank, Charles City, Iowa.

George E. May, Cashier Charles City, National Bank, Charles City, Iowa.

E. H. Barnes, Cashier First National Bank, Nashua, Iowa.

John Kuck, President Charles City Water Power Company, Charles City, Iowa.

J. S. Root, Postmaster and Attorney-at-Law, Charles City, Iowa.

D. E. Moore, Agent C. M. and St. P. Railway Company, Charles City, Iowa.

A. L. Dodd, Agent Illinois Central Railway Company, Charles City, Iowa.

George P. Morris, Agent United States Express Company, Charles City, Iowa.

H. A. Schlick, Agent American Express Company, Charles City, Iowa.

Stevens, Hering & Co., Furniture Manufacturers, Charles City, Iowa.

L. Lane, Chairman Board of Supervisors, Floyd County, Charles City, Iowa.

J. H. Barris, Professor in Charles City College, Charles City, Iowa.

Waller Bros., Stock Dealers and Importers, Charles City, Iowa.

Rev. T. M. Evans, Pastor M. E. Church, Vinton, Iowa.

Rev. P. J. McGrath, Catholic Priest, Charles City, Iowa, formerly President St. Joseph's College, Dubuque, Iowa.

Prof. F. E. Hirsch, Vice-President Charles City College, Charles City, Iowa.

Rev. E. H. Casselman, Pastor Lutheran Church, Charles City, Iowa.

Hecht Bros., Dealers in Dry Goods, Charles City, Iowa.

B. F. Wright, Editor *Advocate*, Charles City, Iowa.

L. H. Henry, Editor *Herald*, Charles City, Iowa.

Sam G. Sloane, Editor *Iowa Citizen*, Charles City, Iowa.

Dyke & Olds, Editors *Intelligencer*, Charles City, Iowa.

Samuel Phelps Leland, Lecturer.

Index

	PAGE		PAGE
Althea.....	32	Japan Quince.....	35
Ampelopsis.....	40	Japan Snowball.....	35
Apples.....	3-8	Japanese Wine Plant.....	22
Apricot.....	11	Juneberry.....	22
Aquilegia.....	44	Kentia.....	45
Arborvitæ.....	26	Larch.....	25
Aristolochia.....	41	Latania.....	44
Ash.....	23, 24, 25, 26	Lemon Lily.....	43
Asparagus.....	22	Lilac.....	34
Balsam Fir.....	28	Lilies.....	42
Barberry.....	30	Lilium.....	42
Basswood.....	24	Lily-of-the-valley.....	43
Bignonia.....	41	Linden.....	24
Birch.....	23, 24	Locust.....	25
Bitter Sweet.....	40	Magnolia.....	25
Blackberries.....	20	Maple.....	25
Bleeding-heart.....	44	Miscellaneous.....	44
Box Elder.....	24	Moonseed.....	41
Buckthorn.....	30	Mountain Ash.....	23, 26
Buffalo Berry.....	32	Nut-bearing Trees.....	31
Bulbs.....	42	Oak.....	31
Butternut.....	31	Osage Orange.....	30
Calycanthus.....	32	Palms.....	44
Carolina Allspice.....	32	Poplar.....	26
Catalpa.....	24	Peach.....	11, 12
Cedar.....	26	Pears.....	10
Cherry.....	14, 24	Peony.....	45
Chestnut.....	24, 31	Phlox.....	45
Chinese Matrimony Vine.....	41	Pine.....	28
Clematis.....	40	Plum, Double-flowering.....	26, 34
Corn Lily.....	43	Plums.....	12-14
Cornus.....	32	Prunus.....	26
Cottonwood.....	24	Raspberries.....	19, 20
Crab-apple.....	9	Rhubarb.....	22
Crab, Double-flowering.....	32	Roses.....	36-39
Currants.....	18	Rose of Sharon.....	32
Dahlia.....	44	Rudbeckia.....	46
Day Lily.....	43	Russian Mulberry.....	22
Deutzia.....	34	Staghorn Sumach.....	35
Dewberry.....	22	Shade and Ornamental Trees.....	24-26
Dutchman's Pipe.....	41	Smoke Tree.....	34
Elæagnus.....	30	Snowball Tree.....	35
Elm.....	23, 24	Snowberry.....	35
Euonymus.....	34	Spirea.....	35
Evergreens.....	26-28	Spruce.....	28
Flowering Almond.....	32	Sweet Shrub.....	32
Flowering Shrubs.....	32-35	Syringa, or Mock Orange.....	35
Fringe.....	34	Tartarian Honeysuckle.....	34
Funkia.....	43	Tiger Lily.....	43
Gladioli.....	42	Trumpet Flower.....	41
Golden Elder.....	34	Trumpet Honeysuckle.....	41
Gooseberries.....	19	Tulip Tree.....	26
Grape-vines.....	14-17	Vines.....	40
Hazelnut.....	31	Waahoo, or Strawberry Tree.....	34
Hedge Plants.....	30	Wafer Ash.....	25
Hemlock.....	28	Walnut.....	31
Hickory.....	31	Weeping Mulberry.....	23
High-bush Cranberry.....	22, 32	Weeping Trees.....	23
Hints on Transplanting.....	1, 2	Weigela.....	35
Honey Locust.....	30	White Thorn.....	35
Hop Tree.....	25	Wild Crab.....	26
Horse-chestnut.....	24	Wistaria.....	41
Hydrangea.....	34	Willows.....	23, 26
Iris.....	42	Yucca.....	46
Irish Juniper.....	28		

**SHERMAN NURSERY
COMPANY**

CHARLES CITY, IOWA